

2023 Adams County Weed District # 1 Noxious Weed List

Class A Weeds: Non-Native Species whose distribution in Washington is still limited. Preventing new infestations are the highest priority. **Eradication of all Class A plants is required by law.**

Class B Weeds: Non-native species presently limited to portions of the State. Species are designated for control in regions where they are not yet widespread. Preventing new infestations in these areas is a high priority. In regions where a Class B species is already abundant, control is decided at the local level, with containment as the primary goal.

Class C Weeds: Noxious weeds that are typically widespread in WA or are of special interest to the state's agricultural industry. The Class C status allows counties to require control if locally desired. Other counties may choose to provide education or technical consultation.

Class A Weeds: Eradication Required		Class A Weeds: Eradication Required		Class B Weeds Designated For Control in Adams County Weed District #1		Class B Weeds Designated for Control in Adams County Weed District #1	
common crupina	<i>Crupina vulgaris</i>	silverleaf nightshade	<i>Solanum elaeagnifolium</i>	fanwort	<i>Cabomba caroliniana</i>	loosestrife, wand	<i>Lythrum virgatum</i>
cordgrass, common	<i>Spartina anglica</i>	Small-Flowered Jewelweed	<i>Impatiens Parviflora</i>	gorse	<i>Ulex europaeus</i>	Malta Starthistle	<i>Centaurea Melitensis</i>
cordgrass, dense-flowered	<i>Spartina densiflora</i>	South American spongeplant	<i>Limnobium laevigatum</i>	grass-leaved arrowhead	<i>Sagittaria graminea</i>	parrotfeather	<i>Myriophyllum aquaticum</i>
cordgrass, saltmeadow	<i>Spartina patens</i>	Spanish broom	<i>Spartium junceum</i>	hairy willowherb	<i>Ephibolium hirsutum</i>	policeman's helmet	<i>Impatiens glandulifera</i>
cordgrass, smooth	<i>Spartina alterniflora</i>	Syrian beancaper	<i>Zygophyllum fabago</i>	Hanging Sedge	<i>Carex pendula</i> , <i>Carex pendula</i> subsp. <i>Pendula</i> and <i>Carex pendula</i>	puncturevine *	<i>Tribulus terrestris</i>
dyer's woad	<i>Isatis tinctoria</i>	Texas blueweed	<i>Helianthus ciliaris</i>	hawkweed oxtongue	<i>Picris hieraciodes</i>	Ravenna grass	<i>Trididium ravennae</i>
eggleaf spurge	<i>Euphorbia oblongata</i>	thistle, Italian	<i>Carduus pycnocephalus</i>	hawk weed, orange	<i>Hieracium aurantiacum</i>	rough chervil	<i>Chaerophyllum temulum</i>
false brome	<i>Brachypodium sylvaticum</i>	thistle, milk	<i>Silybum marianum</i>	hawkweeds: all nonnative species and hybrids of the meadow subgenus	<i>Hieracium subgenus Pilosella</i>	saltcedar *	<i>Tamarix ramosissima</i>
floating primrose-willow	<i>Ludwigia peploides</i>	thistle, slenderflower	<i>Carduus tenuiflorus</i>	hawkweeds: All nonnative species and hybrids of the wall subgenus	<i>Hieracium</i> , subgenus <i>Hieracium</i>	Scotch broom *	<i>Cytisus scoparius</i>
flowering rush	<i>Butomus umbellatus</i>	thistle, Turkish	<i>Carduus cinereus</i>	herb-Robert	<i>Geranium robertianum</i>	shiny geranium	<i>Geranium lucidum</i>
French broom	<i>Genista monspessulana</i>	variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>	hoary alyssum	<i>Berteroa incana</i>	spurge flax	<i>Thymelaea Passerina</i>
garlic mustard	<i>Alliaria petiolata</i>	wild four-o'clock	<i>Mirabilis nyctaginea</i>	houndstongue	<i>Cynoglossum officinale</i>	spurge laurel	<i>Daphne laureola</i>
giant hogweed	<i>Heracleum mantegazzianum</i>	Class B Weeds Designated For Control In Adams County Weed District #1		indigobush	<i>Amorpha fruticosa</i>	spurge, leafy *	<i>Euphorbia virgata</i>
goatsrue	<i>Galega officinalis</i>	rush skeletonweed **	<i>Chondrilla juncea</i>	knapweed, black	<i>Centaurea nigra</i>	spurge, myrtle	<i>Euphorbia myrsinites</i>
hydrilla	<i>Hydrilla verticillata</i>	knapweed, Russian **	<i>Rhaponticum repens</i>	knapweed, brown	<i>Centaurea jacea</i>	sulfur cinquefoil	<i>Potentilla recta</i>
Johnsongrass	<i>Sorghum halepense</i>	blueweed	<i>Echium vulgare</i>	knapweed, diffuse *	<i>Centaurea diffusa</i>	tansy ragwort	<i>Jacobaea vulgaris</i>
knapweed, bighead	<i>Centaurea macrocephala</i>	Brazilian elodea	<i>Egeria densa</i>	knapweed, meadow	<i>Centaurea x gerstlaueri</i>	thistle, musk *	<i>Carduus nutans</i>
knapweed, Vochin	<i>Centaurea nigrescens</i>	bugloss, annual	<i>Lycopsis arvensis</i>	knapweed, spotted *	<i>Centaurea stoebe</i>	thistle, plumeless	<i>Carduus acanthoides</i>
kudzu	<i>Pueraria montana</i> var. <i>lobata</i>	bugloss, common	<i>Anchusa officinalis</i>	knotweed, Bohemian	<i>Fallopia x bohemica</i>	thistle, Scotch *	<i>Onopordum acanthium</i>
meadow clary	<i>Salvia pratensis</i>	camelthorn *	<i>Alhagi maurorum</i>	knotweed, giant	<i>Fallopia sachalinense</i>	velvetleaf *	<i>Abutilon theophrasti</i>
oriental clematis	<i>Clematis orientalis</i>	common fennel (except bulbing fennel)	<i>Foeniculum vulgare</i> except <i>F. vulgare</i> var. <i>azoricum</i>	knotweed, Himalayan	<i>Persicaria wallichii</i>	water primrose	<i>Ludwigia hexapetala</i>
purple starthistle	<i>Centaurea calcitrapa</i>	common reed (nonnative genotypes only)	<i>Phragmites australis</i>	knotweed, Japanese	<i>Fallopia Japonica</i>	white bryony	<i>Bryonia alba</i>
reed sweetgrass	<i>Glyceria maxima</i>	common tansy*	<i>Tanacetum vulgare</i>	kochia *	<i>Bassia scoparia</i>	wild basil	<i>Clinopodium vulgare</i>
ricefield bulrush	<i>Schoenoplectus mucronatus</i>	Dalmation toadflax *	<i>Linaria dalmatica</i> ssp	lesser celandine	<i>Ficaria verna</i>	wild chervil	<i>Anthriscus sylvestris</i>
sage, clary	<i>Salvia sclarea</i>	Eurasian watermilfoil	<i>Myriophyllum spicatum</i>	loosestrife, garden	<i>Lysimachia vulgaris</i>	yellow archangel	<i>Lamiasstrum galeobdolon</i>
sage, Mediterranean	<i>Salvia aethiopsis</i>	European coltsfoot	<i>Tussilago farfara</i>	loosestrife, purple *	<i>Lythrum salicaria</i>	yellow floatingheart	<i>Nymphaeodes peltata</i>

Class B Weeds Designated For Control In Adams County Weed District #1	
yellow nutsedge	<i>Cyperus esculentus</i>
yellow starthistle	<i>Centaurea solstitialis</i>
Class B Non-Designate Weeds	
butterfly bush	<i>Buddleja davidii</i>
perennial pepperweed *	<i>Lepidium latifolium</i>
poison hemlock	<i>Conium maculatum</i>
Class C Weed Control Required on Highlighted Species in Weed District #1	
absinth wormwood	<i>Artemisia absinthium</i>
Austrian fieldcress	<i>Rorippa austriaca</i>
babysbreath *	<i>Gypsophila paniculata</i>
black henbane	<i>Hyoscyamus niger</i>
blackgrass	<i>Alopecurus myosuroides</i>
buffalobur	<i>Solanum rostratum</i>
cereal rye *	<i>Secale cereale</i>
common barberry	<i>Berberis vulgaris</i>
common catsear	<i>Hypochaeris radicata</i>
common groundsel *	<i>Senecio vulgaris</i>

Class C Weeds Control Required on Highlighted Species in Weed District #1	
common St. Johnswort	<i>Hypericum perforatum</i>
common teasel *	<i>Dipsacus fullonum</i>
curtyleaf pondweed	<i>Potamogeton crispus</i>
English Hawthorn	<i>Crataegus monogyna</i>
English ivy - four cultivars only *	<i>Hedera helix</i> 'Baltica', 'Pittsburgh', and 'Star'; <i>H.</i> <i>Myriophyllum spicatum</i> x <i>Myriophyllum sibiricum</i>
Eurasian Watermilfoil hybrid	<i>Myriophyllum spicatum</i> x <i>Myriophyllum sibiricum</i>
evergreen blackberry	<i>Rubus laciniatus</i>
field bindweed *	<i>Convolvulus arvensis</i>
fragrant waterlily	<i>Nymphaea odorata</i>
green alkanet	<i>Pentaglottis sempervirens</i>
hairy whitetop	<i>Lepidium appelianum</i>
Himalayan blackberry	<i>Rubus armeniacus</i>
hoary cress	<i>Lepidium draba</i>
Italian arum	<i>Arum italicum</i>
Japanese eelgrass	<i>Nanozostera japonica</i>
jointed goatgrass *	<i>Aegilops cylindrica</i>
jubata grass	<i>Cortaderia jubata</i>
lawnweed	<i>Soliva sessilis</i>
longspine sandbur *	<i>Cenchrus longispinus</i>

Class C Weeds Control Required on Highlighted Species in Weed District #1	
medusahead *	<i>Taeniatherum caput-medusae</i>
nonnative cattail species and hybrids	<i>Typha species</i>
old man's beard	<i>Clematis vitalba</i>
oxeye daisy	<i>Leucanthemum vulgare</i>
pampas grass	<i>Cortaderia selloana</i>
perennial sowthistle	<i>Sonchus arvensis</i>
reed canarygrass	<i>Phalaris arundinacea</i>
Russian olive *	<i>Elaeagnus angustifolia</i>
scentless mayweed *	<i>Tripleurospermum inodorum</i>
smoothseed alfalfa dodder	<i>Cuscuta approximata</i>
spikeweed	<i>Centromadia pungens</i>
spiny cocklebur *	<i>Xanthium spinosum</i>
spotted jewelweed	<i>Impatiens capensis</i>
Swainsonpea *	<i>Sphaerophysa salsula</i>
thistle, bull *	<i>Cirsium</i>
thistle, Canada *	<i>Cirsium arvense</i>
tree-of-heaven *	<i>Ailanthus altissima</i>
ventenata	<i>Ventenata dubia</i>
white cockle	<i>Silene latifolia</i>

Class C Weeds Control Required on Highlighted Species In Weed District #1	
wild carrot (except where commercially grown)	<i>Daucus</i>
yellowflag iris	<i>Iris pseudacorus</i>
yellow toadflax *	<i>Linaria vulgaris</i>

Adams County Weed District #1
124 S Broadway Ave
Othello, WA 99344
Phone: (509)488-9023


Control Required on Highlighted
Class C Species In Adams County
Weed District # 1

* Indicates Weeds Found
in Adams County Weed
District #1

** Except those areas lying east of
Sage Road, the western boarder
of Range 36

**Except for the area west of
Highway 17 and north of Highway 26

Adams County Weed District #1 Noxious
Weed list consists of all species set by the
Washington State Noxious Weed Control Board
(WAC16-750) as Class A weeds, all Class B weeds
state-designated for control in Adams County, and
Class B and C species selected from the state
list by Adams County Weed District #1.



Per RCW 17.04 Property owners and public
land managers are required to control designated
noxious weeds to prevent them from spreading

Adams County Weed District #1
124 South Broadway Avenue
Othello, WA 99344

POLICY # 02-22-2021

CANADA THISTLE

Infestations of Canada thistle must be controlled at or before the first bud stage. When an infestation reaches the first bud stage and notification to prevent seed formation has been given control action may be implemented in accordance with R.C.W. 17.04 (Weed Districts).

Flagging and written notifications may be done at any time during the growing season.

Adopted 02/27/2023

KOCHIA

The control of Kochia is required on all land within the Weed District. Control action may be initiated in accordance with R.C.W. 17.04 (Weed Districts).

It is recommended that an effective control program is implemented prior to the plant reaching twelve (12) inches in height. Initial contact will be made with the land owner before the plant reaches this size.

If Kochia is found to exceed eighteen (18) inches in height without a control program approved by the district weed supervisor, enforcement procedure will commence immediately.

Control measures must be taken before seed set is imminent. Tumbling is these plants main method of spreading so Kochia that is not properly controlled before it reaches maturity must be destroyed in a manner which renders it incapable of tumbling.

Adopted 02/27/2023

PUNCTUREVINE

(Goat head)

The control of Puncturevine is required on all land within the Weed District. Control action may be initiated in accordance with R.C.W. 17.04 (Weed Districts).

Pre emergence control of known infestations is recommended. If post emergence control is chosen it must be initiated before the plant begins to produce seed.

A weed control notice will be issued as soon as the weed is found. Enforcement action will begin when the weed begins to produce flowers.

Adopted 02/27/2023