

WAC 16-750-011 State noxious weed list—Class B noxious weeds.

Name		Will be a "Class B designate" in all lands lying within:	
(1)	blueweed, <i>Echium vulgare</i>	(a)	regions 1, 2, 3, 4, 6
		(b)	region 5, except Spokane County
(2)	Brazilian elodea, <i>Egeria densa</i>	(a)	region 1, except Grays Harbor County
		(b)	region 2, except Kitsap County
		(c)	King County of region 2, except lakes Dolloff, Fenwick, Union, Washington, and Sammamish, and the Sammamish River
		(d)	region 3, except Wahkiakum County
		(e)	regions 4, 5, and 6
(3)	bugloss, annual, (<i>Anchusa</i>) <i>Lycopsis arvensis</i>	(a)	regions 1, 2, 3, 4, and 6
		(b)	region 5, except Spokane County
(4)	bugloss, common, (<i>Lycopsis</i>) <i>Anchusa officinalis</i>	(a)	regions 1, 2, 3, and 6
		(b)	All of region 4 except those areas lying within the Entiat River Valley between the Columbia River confluence and Stormy Creek in Chelan County
		(c)	region 5, except Spokane County
(5)	butterfly bush, <i>Buddleja davidii</i>	(a)	Grays Harbor County of region 1
		(b)	San Juan County of region 2
		(c)	Cowlitz County of region 3
(6)	camelthorn, <i>Alhagi maurorum</i>	(a)	regions 1, 2, 3, 4, 5, and 6
(7)	common fennel, <i>Foeniculum vulgare</i> (except bulbing fennel, <i>F. vulgare</i> var. <i>azoricum</i>)	(a)	region 1, except Jefferson County
		(b)	region 2, except King and Skagit counties
		(c)	region 3, except Clark County
		(d)	regions 4, 5, and 6
(8)	common reed, <i>Phragmites australis</i> (nonnative genotypes only)	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Grant County
		(c)	Asotin, Columbia, and Garfield counties of region 6
(9)	common tansy, <i>Tanacetum vulgare</i>	(a)	<u>Clallam County of region 1</u>
		(b)	<u>Kitsap and San Juan counties of region 2</u>
		(c)	<u>Cowlitz and Lewis counties of region 3</u>
		(d)	<u>Adams and Lincoln counties of region 5</u>
(10)	Dalmatian toadflax, <i>Linaria dalmatica</i> ssp. <i>dalmatica</i>	(a)	regions 1, 2, and 3
		(b)	Adams, Kittitas, and Lincoln counties of region 5
		(c)	Benton, Franklin, and Walla Walla counties of region 6
((10)) (11)	Eurasian watermilfoil, <i>Myriophyllum spicatum</i>	(a)	region 1, except Pacific County
		(b)	Island, Kitsap, and San Juan counties of region 2
		(c)	Clark and Cowlitz counties of region 3
		(d)	Chelan and Okanogan counties, and all lakes with public boat launches except Fan Lake in Pend Oreille County of region 4
		(e)	Adams, Kittitas, Lincoln, and Whitman counties of region 5
		(f)	Asotin, Columbia, and Garfield counties of region 6

Name		Will be a "Class B designate" in all lands lying within:	
((11)) <u>(12)</u>	European coltsfoot, <i>Tussilago farfara</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((12)) <u>(13)</u>	fanwort, <i>Cabomba caroliniana</i>	(a)	regions 1, 2, 4, 5, and 6
((13)) <u>(14)</u>	gorse, <i>Ulex europaeus</i>	(a)	region 1, except Grays Harbor and Pacific counties
((14)) <u>(15)</u>	grass-leaved arrowhead, <i>Sagittaria graminea</i>	(b)	regions 2, 3, 4, 5, 6
((15)) <u>(16)</u>	hairy willow-herb, <i>Epilobium hirsutum</i>	(a)	region 1
((16)) <u>(17)</u>	hanging sedge, <i>Carex pendula</i>	(b)	region 2, except Snohomish County
((17)) <u>(18)</u>	hawkweed oxtongue, <i>Picris hieracioides</i>	(c)	regions 3, 4, 5, and 6
((18)) <u>(19)</u>	hawkweed, orange, <i>Hieracium aurantiacum</i>	(a)	regions 1, 3, and 4
((19)) <u>(20)</u>	hawkweed, orange, <i>Hieracium aurantiacum</i>	(b)	region 2, except Thurston and Whatcom counties
((20)) <u>(21)</u>	hawkweed, orange, <i>Hieracium aurantiacum</i>	(c)	region 5, except Klickitat County
((21)) <u>(22)</u>	hawkweed, orange, <i>Hieracium aurantiacum</i>	(d)	region 6, except Benton and Franklin counties
((22)) <u>(23)</u>	hawkweeds: All nonnative species and hybrids of the Meadow subgenus (<i>Pilosella</i>), including, but not limited to, mouseear (<i>Hieracium pilosella</i>), pale (<i>H. lactucella</i>), queen-devil (<i>H. glomeratum</i>), tall (<i>H. piloselloides</i>), whiplash (<i>H. flagellare</i>), yellow (<i>H. caespitosum</i>), and yellow-devil (<i>H. x floribundum</i>)	(a)	regions 1, 3, 4, 5, and 6
((23)) <u>(24)</u>	hawkweeds: All nonnative species and hybrids of the Wall subgenus (<i>Hieracium</i>), including, but not limited to, common (<i>Hieracium lachenalii</i>), European (<i>H. sabaudum</i>), polar (<i>H. atratum</i>), smooth (<i>H. laevigatum</i>), spotted (<i>H. maculatum</i>), and wall (<i>H. murorum</i>)	(b)	region 2, except for King County
((24)) <u>(25)</u>	hawkweeds: All nonnative species and hybrids of the Wall subgenus (<i>Hieracium</i>), including, but not limited to, common (<i>Hieracium lachenalii</i>), European (<i>H. sabaudum</i>), polar (<i>H. atratum</i>), smooth (<i>H. laevigatum</i>), spotted (<i>H. maculatum</i>), and wall (<i>H. murorum</i>)	(a)	regions 1, 2, 4, 5, and 6
((25)) <u>(26)</u>	herb-Robert, <i>Geranium robertianum</i>	(b)	region 3, except Cowlitz County
((26)) <u>(27)</u>	hoary alyssum, <i>Berteroa incana</i>	(c)	region 4, except Pend Oreille and Stevens counties
((27)) <u>(28)</u>	hoary alyssum, <i>Berteroa incana</i>	(d)	region 5, except Klickitat and Spokane counties
((28)) <u>(29)</u>	hoary alyssum, <i>Berteroa incana</i>	(e)	region 6
((29)) <u>(30)</u>	houndstongue, <i>Cynoglossum officinale</i>	(a)	regions 1, 3, 5, and 6
((30)) <u>(31)</u>	houndstongue, <i>Cynoglossum officinale</i>	(b)	region 2, except King, Skagit, Snohomish, and Whatcom counties
((31)) <u>(32)</u>	houndstongue, <i>Cynoglossum officinale</i>	(c)	region 4, except Stevens County
((32)) <u>(33)</u>	herb-Robert, <i>Geranium robertianum</i>	(a)	regions 4, 5, and 6
((33)) <u>(34)</u>	hoary alyssum, <i>Berteroa incana</i>	(a)	regions 1, 2, 3, and 6
((34)) <u>(35)</u>	hoary alyssum, <i>Berteroa incana</i>	(b)	region 4, except Pend Oreille and Ferry counties
((35)) <u>(36)</u>	hoary alyssum, <i>Berteroa incana</i>	(c)	region 5, except Klickitat County
((36)) <u>(37)</u>	houndstongue, <i>Cynoglossum officinale</i>	(a)	regions 1, 2, and 3
((37)) <u>(38)</u>	houndstongue, <i>Cynoglossum officinale</i>	(b)	Chelan and Douglas counties of region 4
((38)) <u>(39)</u>	houndstongue, <i>Cynoglossum officinale</i>	(c)	Yakima, Grant and Adams counties of region 5
((39)) <u>(40)</u>	houndstongue, <i>Cynoglossum officinale</i>	(d)	Benton and Franklin counties of region 6

Name		Will be a "Class B designate" in all lands lying within:	
((23)) <u>(25)</u>	indigobush, <i>Amorpha fruticosa</i>	(a)	regions 1, 2, and 4
		(b)	Lewis County of region 3
		(c)	region 5, except Klickitat County
((24)) <u>(26)</u>	knapweed, black, <i>Centaurea nigra</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((25)) <u>(27)</u>	knapweed, brown, <i>Centaurea jacea</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((26)) <u>(28)</u>	knapweed, diffuse, <i>Centaurea diffusa</i>	(a)	region 1
		(b)	region 2
		(c)	region 3, except Cowlitz County
		(d)	Adams County of region 5
((27)) <u>(29)</u>	knapweed, meadow, <i>Centaurea x gerstlaueri</i>	(a)	regions 1 and 4
		(b)	region 2, except Whatcom County
		(c)	Thurston County of region 2, except below the ordinary high-water mark of the Nisqually River
		(d)	Lewis and Wahkiakum counties of region 3
		(e)	region 5, except Kittitas and Klickitat counties
		(f)	region 6, except Franklin and Walla Walla counties
((28)) <u>(30)</u>	knapweed, Russian, <i>Rhaponticum repens</i>	(a)	regions 1, 2, and 3
		(b)	Ferry and Pend Oreille counties of region 4
		(c)	Lincoln, Spokane, and Whitman counties of region 5
		(d)	Adams County of region 5, except for the area west of Highway 17 and north of Highway 26
		(e)	Asotin and Garfield counties of region 6
((29)) <u>(31)</u>	knapweed, spotted, <i>Centaurea stoebe</i>	(a)	region 1, except Grays Harbor
		(b)	region 2, except Whatcom County
		(c)	Clark, Lewis, and Wahkiakum counties of region 3
		(d)	Ferry County of region 4
		(e)	Adams, Grant and Yakima counties of region 5
		(f)	region 6, except Columbia and Walla Walla counties
((30)) <u>(32)</u>	knotweed, Bohemian, <i>Fallopia x bohemica</i>	(a)	Island and San Juan counties of region 2
		(b)	Skamania County of region 3
		(c)	region 4, 5, and 6
((31)) <u>(33)</u>	knotweed, giant, <i>Fallopia sachalinensis</i>	(a)	region 2, except King, Pierce, and Snohomish counties
		(b)	region 3, except Cowlitz and Lewis counties
		(c)	regions 4, 5, and 6
((32)) <u>(34)</u>	knotweed, Himalayan, <i>Persicaria wallichii</i>	(a)	region 1, except Pacific County
		(b)	region 2, except King and Pierce counties
		(c)	region 3, except Wahkiakum County
		(d)	region 4, 5, and 6
((33)) <u>(35)</u>	knotweed, Japanese, <i>Fallopia japonica</i>	(a)	Island, San Juan, and Whatcom counties of region 2
		(b)	Skamania County of region 3
		(c)	region 4, except Okanogan County
		(d)	region 5, except Spokane County
		(e)	region 6
((34)) <u>(36)</u>	kochia, <i>Bassia scoparia</i>	(a)	regions 1, 2, and 3
		(b)	Stevens and Pend Oreille counties of region 4
		(c)	Adams County of region 5

Name		Will be a "Class B designate" in all lands lying within:	
((35)) <u>(37)</u>	lesser celandine, <i>Ficaria verna</i>	(a)	region 1, 3, 4, 5, and 6
		(b)	region 2, except King and Whatcom counties
((36)) <u>(38)</u>	loosestrife, garden, <i>Lysimachia vulgaris</i>	(a)	regions 1, 2, 3, 4, 5, 6
((37)) <u>(39)</u>	loosestrife, purple, <i>Lythrum salicaria</i>	(a)	Clallam, Jefferson, and Mason counties of region 1
		(b)	region 2, except Kitsap, Skagit, and Snohomish counties
		(c)	Clark, Lewis, and Skamania counties of region 3
		(d)	region 4, except Douglas County
		(e)	region 5, except Grant and Spokane counties
		(f)	region 6, except Asotin and Franklin counties
((38)) <u>(40)</u>	loosestrife, wand, <i>Lythrum virgatum</i>	(a)	Clallam, Jefferson, and Mason counties of region 1
		(b)	region 2, except Kitsap, Skagit, and Snohomish counties
		(c)	Clark, Lewis, and Skamania counties of region 3
		(d)	region 4, except Douglas County
		(e)	region 5, except Grant and Spokane counties
		(f)	region 6, except Asotin and Franklin counties
((39)) <u>(41)</u>	Malta starthistle, <i>Centaurea melitensis</i>	(a)	regions 1, 2, and 3
		(b)	region 4, except T36 R38 in the area contained within Hwy 395/Hwy 20, Pingston Creek Road, and Highland Loop Road in Stevens County
		(c)	region 5, except Klickitat and Whitman counties
((40)) <u>(42)</u>	parrotfeather, <i>Myriophyllum aquaticum</i>	(a)	region 1, except Pacific County
		(b)	regions 2, 4, 5, and 6
		(c)	Clark and Skamania counties of region 3
((41)) <u>(43)</u>	perennial pepperweed, <i>Lepidium latifolium</i>	(a)	regions 1, 2, and 4
		(b)	region 3, except Clark and Cowlitz counties
		(c)	Kittitas, Lincoln and Spokane counties of region 5
		(d)	Columbia and Garfield counties of region 6
((42)) <u>(44)</u>	poison hemlock, <i>Conium maculatum</i>	(a)	Clallam, Mason, and Pacific counties of region 1
		(b)	region 2, except King, Skagit, and Whatcom counties
		(c)	Clark and Skamania counties of region 3
		(d)	Chelan, Douglas, and Pend Oreille counties of region 4
		(e)	Grant, Kittitas and Lincoln counties of region 5
((43)) <u>(45)</u>	policeman's helmet, <i>Impatiens glandulifera</i>	(a)	region 1, 3, 4, 5, and 6
		(b)	region 2, except Thurston and Whatcom counties
((44)) <u>(46)</u>	puncturevine, <i>Tribulus terrestris</i>	(a)	regions 1, 2, and 3
		(b)	Ferry, Pend Oreille, and Stevens counties of region 4
		(c)	region 5, except Grant, Klickitat, and Yakima counties
((45)) <u>(47)</u>	Ravenna grass, <i>Tripsidium ravennae</i>	(a)	Cowlitz County of region 3
		(b)	region 4
		(c)	region 5, except Yakima County
		(d)	region 6, except Benton County
((46)) <u>(48)</u>	rough chervil, <i>Chaerophyllum temulum</i>	(a)	<u>regions 1, 3, 4, 5, and 6</u>
		(b)	<u>region 2, except for King County</u>
<u>(49)</u>	rush skeletonweed, <i>Chondrilla juncea</i>	(a)	regions 1, 2, and 3
		(b)	region 4, except all areas of Stevens County south of Township 29

Name		Will be a "Class B designate" in all lands lying within:	
		(c)	Kittitas and Yakima counties of region 5, and Adams County, except those areas lying east of Sage Road, the western border of Range 36
		(d)	Asotin County of region 6
((47)) <u>(50)</u>	saltcedar, <i>Tamarix ramosissima</i> (unless intentionally planted prior to 2004)	(a)	regions 1, 3, 4, 5, and 6
		(b)	region 2, except King and Thurston counties
((48)) <u>(51)</u>	Scotch broom, <i>Cytisus scoparius</i>	(a)	regions 4 and 6
		(b)	region 5, except Klickitat County
((49)) <u>(52)</u>	shiny geranium, <i>Geranium lucidum</i>	(a)	regions 1, 4, 5, and 6
		(b)	regions 2, except Thurston County
		(c)	region 3, except Clark County
((50)) <u>(53)</u>	spurge flax, <i>Thymelaea passerina</i>	(a)	region 4, except Okanogan County
		(b)	regions 5 and 6
((51)) <u>(54)</u>	spurge laurel, <i>Daphne laureola</i>	(a)	region 1, except Clallam and Jefferson counties
		(b)	region 2, except King, Kitsap, and Pierce counties
		(c)	region 3
		(d)	regions 4, 5, and 6
((52)) <u>(55)</u>	spurge, leafy, <i>Euphorbia virgata</i>	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Spokane County
		(c)	region 6, except Columbia County
((53)) <u>(56)</u>	spurge, myrtle, <i>Euphorbia myrsinites</i>	(a)	region 1, except Clallam and Jefferson counties
		(b)	region 2, except King, Kitsap, Pierce, and Whatcom counties
		(c)	regions 3, 5, and 6
		(d)	region 4, except Okanogan County
((54)) <u>(57)</u>	sulfur cinquefoil, <i>Potentilla recta</i>	(a)	region 1
		(b)	region 2, except Pierce and Thurston counties
		(c)	region 3, except Lewis and Skamania counties
		(d)	Adams, Grant, Lincoln, and Whitman counties of region 5
		(e)	region 6, except Asotin County
((55)) <u>(58)</u>	tansy ragwort, <i>Jacobaea vulgaris</i>	(a)	Island and San Juan counties of region 2
		(b)	Clark and Wahkiakum counties of region 3
		(c)	regions 4, 5, and 6
((56)) <u>(59)</u>	thistle, musk, <i>Carduus nutans</i>	(a)	regions 1, 2, 3, and 6
		(b)	region 4, except Douglas and Ferry counties
		(c)	region 5, except Kittitas County
((57)) <u>(60)</u>	thistle, plumeless, <i>Carduus acanthoides</i>	(a)	regions 1, 2, 3, 5, 6
		(b)	region 4, except those areas north of State Highway 20 in Stevens County
((58)) <u>(61)</u>	thistle, Scotch, <i>Onopordum acanthium</i>	(a)	regions 1, 2, and 3
		(b)	region 4, except Douglas County
		(c)	region 5, except Spokane and Whitman counties
((59)) <u>(62)</u>	velvetleaf, <i>Abutilon theophrasti</i>	(a)	regions 1, 2, 3, 4, and 6
		(b)	region 5, except Yakima County
((60)) <u>(63)</u>	water primrose, <i>Ludwigia hexapetala</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((61)) <u>(64)</u>	white bryony, <i>Bryonia alba</i>	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Whitman County

Name		Will be a "Class B designate" in all lands lying within:	
		(c)	Benton and Garfield counties of region 6
((62))	Wild basil/basil savory,	(a)	regions 1, 2, 4, 5, and 6
(65)	<i>Clinopodium vulgare</i>	(b)	region 3, except for Skamania County
(66)	wild chervil, <i>Anthriscus sylvestris</i>	(a)	regions 1, 3, 4, and 6
		(b)	region 2, except Whatcom County
		(c)	region 5, except Whitman County
((63))	yellow archangel, <i>Lamiastrum galeobdolon</i>	(a)	Clallam County of region 1
(67)		(b)	Island, San Juan, Skagit, and Whatcom counties of region 2
		(c)	Cowlitz, Skamania, and Wahkiakum counties of region 3
		(d)	regions 4, 5, and 6
((64))	yellow floating heart,	(a)	regions 1, 2, 3, and 6
(68)	<i>Nymphoides peltata</i>	(b)	region 4, except Stevens County
		(c)	region 5, except Spokane County
((65))	yellow nutsedge, <i>Cyperus esculentus</i>	(a)	regions 1 and 4
(69)		(b)	region 2, except Skagit and Thurston counties
		(c)	region 3, except Clark County
		(d)	region 5, except Klickitat and Yakima counties
		(e)	region 6, except Franklin and Walla Walla counties
((66))	yellow starthistle, <i>Centaurea solstitialis</i>	(a)	regions 1, 2, and 3
(70)		(b)	region 4, except T36 R38 in the area contained within Hwy 395/Hwy 20, Pingston Creek Road, and Highland Loop Road in Stevens County
		(c)	region 5, except Klickitat, and Whitman counties

AMENDATORY SECTION (Amending WSR 20-24-098, filed 11/30/20, effective 1/1/21)

WAC 16-750-015 State noxious weed list—Class C noxious weeds.

Common Name	Scientific Name
absinth wormwood	<i>Artemisia absinthium</i>
Austrian fieldcress	<i>Rorippa austriaca</i>
babysbreath	<i>Gypsophila paniculata</i>
black henbane	<i>Hyoscyamus niger</i>
blackberry, evergreen	<i>Rubus laciniatus</i>
blackberry, Himalayan	<i>Rubus bifrons</i>
blackgrass	<i>Alopecurus myosuroides</i>
buffalobur	<i>Solanum rostratum</i>
cereal rye	<i>Secale cereale</i>
common barberry	<i>Berberis vulgaris</i>
common catsear	<i>Hypochaeris radicata</i>
common groundsel	<i>Senecio vulgaris</i>
common St. Johnswort	<i>Hypericum perforatum</i>
(common tansy	<i>Tanacetum vulgare</i>)
common teasel	<i>Dipsacus fullonum</i>

Common Name	Scientific Name
crack willow	<i>Salix fragilis</i>
curly-leaf pondweed	<i>Potamogeton crispus</i>
English hawthorn	<i>Crataegus monogyna</i>
English ivy 4 cultivars only:	<i>Hedera hibernica</i> 'Hibernica' <i>Hedera helix</i> 'Baltica' <i>Hedera helix</i> 'Pittsburgh' <i>Hedera helix</i> 'Star'
Eurasian watermilfoil hybrid	<i>Myriophyllum spicatum</i> x <i>M. sibiricum</i>
field bindweed	<i>Convolvulus arvensis</i>
fragrant water lily	<i>Nymphaea odorata</i>
<u>green alkanet</u>	<i>Pentaglottis sempervirens</i>
hairy whitetop	<i>Lepidium appelianum</i>
hoary cress	<i>Lepidium draba</i>
Italian arum	<i>Arum italicum</i>
Japanese eelgrass	<i>Nanozostera japonica</i>
jointed goatgrass	<i>Aegilops cylindrica</i>
jubata grass	<i>Cortaderia jubata</i>
lawnweed	<i>Soliva sessilis</i>
longspine sandbur	<i>Cenchrus longispinus</i>
Medusahead	<i>Taeniatherum caput-medusae</i>
nonnative cattail species and hybrids	Including, but not limited to, <i>Typha angustifolia</i> , <i>T. domingensis</i> and <i>T. x glauca</i>
old man's beard	<i>Clematis vitalba</i>
oxeye daisy	<i>Leucanthemum vulgare</i>
pampas grass	<i>Cortaderia selloana</i>
perennial sowthistle	<i>Sonchus arvensis</i> ssp. <i>arvensis</i>
reed canarygrass	<i>Phalaris arundinacea</i>
Russian olive	<i>Elaeagnus angustifolia</i>
scentless mayweed	<i>Tripleurospermum inodorum</i>
smoothseed alfalfa dodder	<i>Cuscuta approximata</i>
spikeweed	<i>Centromadia pungens</i>
spiny cocklebur	<i>Xanthium spinosum</i>
spotted jewelweed	<i>Impatiens capensis</i>
Swainsonpea	<i>Sphaerophysa salsula</i>
thistle, bull	<i>Cirsium vulgare</i>
thistle, Canada	<i>Cirsium arvense</i>
tree-of-heaven	<i>Ailanthus altissima</i>
ventenata	<i>Ventenata dubia</i>
white cockle	<i>Silene latifolia</i>
wild carrot (except <u>subs. sativus</u> where <u>grown commercially ((grown)) or for food</u>)	<i>Daucus carota</i>
yellow flag iris	<i>Iris pseudacorus</i>

Common Name
yellow toadflax

Scientific Name
Linaria vulgaris