

WAC 16-750-005 State noxious weed list—Class A noxious weeds.

Common Name	Scientific Name
broom, French	<i>Genista monspessulana</i>
broom, Spanish	<i>Spartium junceum</i>
common crupina	<i>Crupina vulgaris</i>
cordgrass, common	<i>Spartina anglica</i>
cordgrass, dense-flowered	<i>Spartina densiflora</i>
cordgrass, salt meadow	<i>Spartina patens</i>
cordgrass, smooth	<i>Spartina alterniflora</i>
dyer's woad	<i>Isatis tinctoria</i>
eggleaf spurge	<i>Euphorbia oblongata</i>
false brome	<i>Brachypodium sylvaticum</i>
floating primrose-willow	<i>Ludwigia peploides</i>
flowering rush	<i>Butomus umbellatus</i>
garlic mustard	<i>Alliaria petiolata</i>
giant hogweed	<i>Heracleum mantegazzianum</i>
goatsrue	<i>Galega officinalis</i>
hydrilla	<i>Hydrilla verticillata</i>
Johnsongrass	<i>Sorghum halepense</i>
knapweed, bighead	<i>Centaurea macrocephala</i>
knapweed, Vochin	<i>Centaurea nigrescens</i>
kudzu	<i>Pueraria montana</i> var. <i>lobata</i>
meadow clary	<i>Salvia pratensis</i>
oriental clematis	<i>Clematis orientalis</i>
purple starthistle	<i>Centaurea calcitrapa</i>
reed sweetgrass	<i>Glyceria maxima</i>
ricefield bulrush	<i>Schoenoplectus mucronatus</i>
sage, clary	<i>Salvia sclarea</i>
sage, Mediterranean	<i>Salvia aethiopis</i>
silverleaf nightshade	<i>Solanum elaeagnifolium</i>
((spurge-flax <u>small-flowered jewelweed</u>	<i>Thymelaea passerina</i>)) <i>Impatiens parviflora</i>
Syrian bean-caper	<i>Zygophyllum fabago</i>
Texas blueweed	<i>Helianthus ciliaris</i>
thistle, Italian	<i>Carduus pycnocephalus</i>
thistle, milk	<i>Silybum marianum</i>
thistle, slenderflower	<i>Carduus tenuiflorus</i>
variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>
wild four o'clock	<i>Mirabilis nyctaginea</i>

WAC 16-750-011 State noxious weed list—Class B noxious weeds.

Name		Will be a "Class B designate" in all lands lying within:	
(1)	blueweed, <i>Echium vulgare</i>	(a)	regions 1, 2, 3, 4, 6
		(b)	region 5, except Spokane County
(2)	Brazilian elodea, <i>Egeria densa</i>	(a)	region 1, except Grays Harbor and Pacific counties
		(b)	region 2, except Kitsap and Snohomish counties
		(c)	King County of region 2, except lakes Dolloff, Fenwick, Union, Washington, and Sammamish, and the Sammamish River
		(d)	region 3, except Wahkiakum County
		(e)	regions 4, 5, and 6
(3)	bugloss, annual, <i>Anchusa arvensis</i>	(a)	regions 1, 2, 3, 4, and 6
		(b)	region 5, except Spokane County
(4)	bugloss, common, <i>Anchusa officinalis</i>	(a)	regions 1, 2, 3, and 6
		(b)	All of region 4 except those areas lying within the Entiat River Valley between the Columbia River confluence and Stormy Creek in Chelan County
		(c)	region 5, except Spokane County
(5)	butterfly bush, <i>Buddleja davidii</i>	(a)	((The portion of Thurston County lying below the ordinary high-water mark of the Nisqually River in region 2
		(b))	Cowlitz County of region 3
(6)	camelthorn, <i>Alhagi maurorum</i>	(a)	regions 1, 2, 3, 4, and 5
		(b)	region 6, except Walla Walla County
(7)	common fennel, <i>Foeniculum vulgare</i> (except bulbing fennel, <i>F. vulgare</i> var. <i>azoricum</i>)	(a)	region 1, except Jefferson County
		(b)	region 2, except King and Skagit counties
		(c)	region 3, except Clark County
		(d)	regions 4, 5, and 6
(8)	common reed, <i>Phragmites australis</i> (nonnative genotypes only)	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Grant County
		(c)	Asotin, Columbia, and Garfield counties of region 6
(9)	Dalmatian toadflax, <i>Linaria dalmatica</i> ssp. <i>dalmatica</i>	(a)	regions 1 and 2
		(b)	region 3, except Cowlitz County
		(c)	Adams and Lincoln counties of region 5
		(d)	Benton and Walla Walla counties of region 6
(10)	Eurasian watermilfoil, <i>Myriophyllum spicatum</i>	(a)	region 1, except Pacific and Mason counties
		(b)	Island and San Juan counties of region 2
		(c)	((Clark and)) Cowlitz ((counties)) County of region 3
		(d)	Chelan and Okanogan counties, and all lakes with public boat launches except Fan Lake in Pend Oreille County of region 4
		(e)	Adams and Lincoln counties of region 5
		(f)	Asotin, Columbia, and Garfield counties of region 6
(11)	<u>European coltsfoot, <i>Tussilago farfara</i></u>	(a)	<u>regions 1, 2, 3, 4, and 5</u>
		(b)	<u>region 5, except Adams, Grant, and Lincoln counties</u>
		(c)	<u>region 6, except Benton and Franklin counties</u>

Name		Will be a "Class B designate" in all lands lying within:	
<u>(12)</u>	fanwort, <i>Cabomba caroliniana</i>	(a)	regions 2, 4, 5, and 6
		(b)	region 1, except Grays Harbor
		(c)	region 3, except Cowlitz County
((12)) <u>(13)</u>	gorse, <i>Ulex europaeus</i>	(a)	region 1, except Grays Harbor and Pacific counties
		(b)	regions 2, 3, 4, 5, 6
((13)) <u>(14)</u>	grass-leaved arrowhead, <i>Sagittaria graminea</i>	(a)	region 1, except Mason County
		(b)	region 2, except Snohomish County
		(c)	regions 3, 4, 5, and 6
((14)) <u>(15)</u>	hairy willow-herb, <i>Epilobium hirsutum</i>	(a)	regions 1, 3, and 4
		(b)	region 2, except Thurston and Whatcom counties
		(c)	region 5, except Klickitat County
		(d)	Asotin, Columbia, and Garfield counties of region 6
((15)) <u>(16)</u>	hawkweed oxtongue, <i>Picris hieracioides</i>	(a)	regions 1, 2, 4, 5, and 6
		(b)	region 3, except Skamania County
((16)) <u>(17)</u>	hawkweed, orange, <i>Hieracium aurantiacum</i>	(a)	regions 1, 3, and 6
		(b)	region 2, except Whatcom County
		(c)	region 4, except Pend Oreille and Stevens counties
		(d)	region 5, except Kittitas and Spokane counties
((17)) <u>(18)</u>	hawkweeds: All nonnative species and hybrids of the Meadow subgenus (<i>Pilosella</i>), including, but not limited to, mouseear (<i>Hieracium pilosella</i>), pale (<i>H. lactucella</i>), queen-devil (<i>H. glomeratum</i>), tall (<i>H. piloselloides</i>), whiplash (<i>H. flagellare</i>), yellow (<i>H. caespitosum</i>), and yellow-devil (<i>H. x floribundum</i>)	(a)	region 1
		(b)	region 2, except Thurston County
		(c)	region 3, except Cowlitz County
		(d)	Chelan, Douglas, and Okanogan counties of region 4
		(e)	region 5, except Klickitat and Spokane counties
		(f)	region 6
((18)) <u>(19)</u>	hawkweeds: All nonnative species and hybrids of the Wall subgenus (<i>Hieracium</i>), including, but not limited to, common (<i>Hieracium lachenalii</i>), European (<i>H. sabaudum</i>), polar (<i>H. atratum</i>), smooth (<i>H. laevigatum</i>), spotted (<i>H. maculatum</i>), and wall (<i>H. murorum</i>)	(a)	regions 1, 3, 5, and 6
		(b)	region 2, except King, Skagit and Whatcom counties
		(c)	region 4, except Stevens County
((19)) <u>(20)</u>	herb-Robert, <i>Geranium robertianum</i>	(a)	regions 4, 5, and 6
((20)) <u>(21)</u>	hoary alyssum, <i>Berteroa incana</i>	(a)	regions 1, 2, 3, and 6
		(b)	region 4, except Pend Oreille County and those areas lying north of Highway 20 in Ferry County
		(c)	region 5, except Klickitat County
((21)) <u>(22)</u>	houndstongue, <i>Cynoglossum officinale</i>	(a)	regions 1, 2, and 3
		(b)	Chelan County of region 4
		(c)	Yakima, Grant and Adams counties of region 5
		(d)	Benton County of region 6
((22)) <u>(23)</u>	indigobush, <i>Amorpha fruticosa</i>	(a)	regions 1, 2, and 4
		(b)	Lewis and Skamania counties of region 3

Name		Will be a "Class B designate" in all lands lying within:	
		(c)	<u>Clark County of region 3, except within 200 feet of the ordinary high-water mark of the Columbia River</u>
		(d)	region 5, except Klickitat County
((23)) <u>(24)</u>	knapweed, black, <i>Centaurea nigra</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((24)) <u>(25)</u>	knapweed, brown, <i>Centaurea jacea</i>	(a)	regions 1, 2, 3, 4, 5, and 6
((25)) <u>(26)</u>	knapweed, diffuse, <i>Centaurea diffusa</i>	(a)	region 1, except Mason County
		(b)	region 2
		(c)	region 3, except Cowlitz County
		(d)	Adams County of region 5
((26)) <u>(27)</u>	knapweed, meadow, <i>Centaurea x moncktonii</i>	(a)	regions 1 and 4
		(b)	region 2, except Whatcom County
		(c)	Thurston County of region 2, except below the ordinary high-water mark of the Nisqually River
		(d)	region 3, except Cowlitz County
		(e)	region 5, except Kittitas and Klickitat counties
		(f)	region 6, except Franklin and Walla Walla counties
((27)) <u>(28)</u>	knapweed, Russian, <i>Acroptilon repens</i>	(a)	regions 1, 2, and 3
		(b)	Ferry and Pend Oreille counties of region 4
		(c)	Lincoln, Spokane, and Whitman counties of region 5
		(d)	Adams County of region 5, except for the area west of Highway 17 and north of Highway 26
		(e)	Asotin and Garfield counties of region 6
((28)) <u>(29)</u>	knapweed, spotted, <i>Centaurea stoebe</i>	(a)	region 1, except Grays Harbor
		(b)	region 2, except Whatcom County
		(c)	region 3, except Cowlitz County
		(d)	Ferry County of region 4
		(e)	Adams, Grant and Yakima counties of region 5
		(f)	region 6, except Columbia and Walla Walla counties
((29)) <u>(30)</u>	knotweed, Bohemian, <i>Polygonum x bohemicum</i>	(a)	Island County of region 2
		(b)	Skamania County of region 3
		(c)	region 4, except Stevens County
		(d)	region 5, except Whitman and Yakima counties
		(e)	region 6
((30)) <u>(31)</u>	knotweed, giant, <i>Polygonum sachalinense</i>	(a)	region 2, except King, Pierce, and Snohomish counties
		(b)	region 3, except Cowlitz and Lewis counties
		(c)	regions 4, 5, and 6
((31)) <u>(32)</u>	knotweed, Himalayan, <i>Polygonum polystachyum</i>	(a)	region 1, except Pacific County
		(b)	region 2, except King and Pierce counties
		(c)	Cowlitz, Lewis and Skamania counties of region 3
		(d)	region 4, except Stevens County
		(e)	regions 5 and 6
((32)) <u>(33)</u>	knotweed, Japanese, <i>Polygonum cuspidatum</i>	(a)	Island, San Juan, and Whatcom counties of region 2
		(b)	Skamania County of region 3
		(c)	region 4, except Okanogan and Stevens counties
		(d)	region 5, except Spokane County
		(e)	region 6

Name		Will be a "Class B designate" in all lands lying within:	
((33)) (34)	kochia, <i>Kochia scoparia</i>	(a)	regions 1, 2, and 3
		(b)	Stevens and Pend Oreille counties of region 4
		(c)	Adams County of region 5
((34)) (35)	lesser celandine, <i>Ficaria verna</i>	(a)	Snohomish County of region 2
		(b)	Skamania County of region 3
		(c)	Pend Oreille and Stevens counties of region 4
((35)) (36)	loosestrife, garden, <i>Lysimachia vulgaris</i>	(a)	regions 1, 2, 3, 4, 5, 6
((36)) (37)	loosestrife, purple, <i>Lythrum salicaria</i>	(a)	Clallam and Jefferson counties of region 1
		(b)	region 2, except Kitsap, Pierce, Skagit, and Snohomish counties
		(c)	Clark, Lewis, and Skamania counties of region 3
		(d)	region 4, except Douglas County
		(e)	region 5, except Grant and Spokane counties
		(f)	Columbia, Garfield, and Walla Walla counties of region 6
((37)) (38)	loosestrife, wand, <i>Lythrum virgatum</i>	(a)	Clallam and Jefferson counties of region 1
		(b)	region 2, except Kitsap, Pierce, Skagit, and Snohomish counties
		(c)	Clark, Lewis, and Skamania counties of region 3
		(d)	region 4, except Douglas County
		(e)	region 5, except Grant and Spokane counties
		(f)	Columbia, Garfield, and Walla Walla counties of region 6
((38)) (39)	<u>Malta starthistle, <i>Centaurea melitensis</i></u>	(a)	<u>regions 1, 2, and 3</u>
		(b)	<u>region 4, except T36 R38 in the area contained within Hwy 395/Hwy 20, Pingston Creek Road, and Highland Loop Road in Stevens County</u>
		(c)	<u>region 5, except Klickitat and Whitman counties</u>
(40)	parrotfeather, <i>Myriophyllum aquaticum</i>	(a)	region 1, except Pacific County
		(b)	regions 2, 4, 5, and 6
		(c)	Clark and Skamania counties of region 3
((39)) (41)	perennial pepperweed, <i>Lepidium latifolium</i>	(a)	regions 1, 2, and 4
		(b)	region 3, except Clark and Cowlitz counties
		(c)	Kittitas, Lincoln and Spokane counties of region 5
		(d)	Columbia and Garfield counties of region 6
((40)) (42)	poison hemlock, <i>Conium maculatum</i>	(a)	Clallam, Mason, and Pacific counties of region 1
		(b)	region 2, except King, Skagit, and Whatcom counties
		(c)	Clark and Skamania counties of region 3
		(d)	Chelan and Pend Oreille counties of region 4
		(e)	Grant, Kittitas and Lincoln counties of region 5
((41)) (43)	policeman's helmet, <i>Impatiens glandulifera</i>	(a)	region 1, except Pacific County
		(b)	region 2, except Pierce, Thurston, and Whatcom counties
		(c)	(region 3, except Clark County)
		(d))	regions <u>3</u> , 4, 5, and 6
((42)) (44)	puncturevine, <i>Tribulus terrestris</i>	(a)	regions 1, 2, and 3
		(b)	Ferry, Pend Oreille, and Stevens counties of region 4
		(c)	region 5, except Grant, Klickitat, and Yakima counties

Name		Will be a "Class B designate" in all lands lying within:	
((43)) <u>(45)</u>	Ravenna grass, <i>Saccharum ravennae</i>	(a)	Cowlitz County of region 3
		(b)	region 4, except Chelan County
		(c)	region 5, except Grant and Yakima counties
		(d)	region 6, except Benton County
((44)) <u>(46)</u>	rush skeletonweed, <i>Chondrilla juncea</i>	(a)	regions 1 and 3
		(b)	region 2, except Kitsap County
		(c)	region 4, except all areas of Stevens County south of Township 29
		(d)	Kittitas and Yakima counties of region 5, and Adams County, except those areas lying east of Sage Road, the western border of Range 36
		(e)	Asotin County of region 6
((45)) <u>(47)</u>	saltcedar, <i>Tamarix ramosissima</i> (unless intentionally planted prior to 2004)	(a)	regions 1, 3, 4, and 5
		(b)	region 2, except King and Thurston counties
		(c)	region 6, except Benton and Franklin counties
((46)) <u>(48)</u>	Scotch broom, <i>Cytisus scoparius</i>	(a)	regions 4 and 6
		(b)	region 5, except Klickitat County
((47)) <u>(49)</u>	shiny geranium, <i>Geranium lucidum</i>	(a)	regions 1, ((2,)) 4, 5, and 6
		(b)	<u>regions 2, except Thurston County</u>
		(c)	region 3, except Clark County
((48)) <u>(50)</u>	<u>spurge flax, <i>Thymelaea passerina</i></u>	(a)	<u>region 4, except Okanogan County</u>
<u>(51)</u>	spurge laurel, <i>Daphne laureola</i>	(b)	<u>regions 5 and 6</u>
		(a)	region 1, except Clallam and Jefferson counties
		(b)	region 2, except King, Kitsap, and Pierce counties
		(c)	region 3, except Skamania County
		(d)	regions 4, 5, and 6
((49)) <u>(52)</u>	spurge, leafy, <i>Euphorbia esula</i>	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Spokane and Whitman counties
		(c)	region 6, except Columbia and Garfield counties
((50)) <u>(53)</u>	spurge, myrtle, <i>Euphorbia myrsinites</i>	(a)	region 1, except Clallam and Jefferson counties
		(b)	region 2, except King, Kitsap, Pierce, and Whatcom counties
		(c)	regions 3, 5, and 6
		(d)	region 4, except Okanogan and Stevens counties
((51)) <u>(54)</u>	sulfur cinquefoil, <i>Potentilla recta</i>	(a)	region 1
		(b)	region 2, except Pierce and Thurston counties
		(c)	region 3, except Lewis and Skamania counties
		(d)	Adams, Grant, Lincoln, and Whitman counties of region 5
		(e)	region 6, except Asotin County
((52)) <u>(55)</u>	tansy ragwort, <i>Senecio jacobaea</i>	(a)	Island and San Juan counties of region 2
		(b)	Clark and Wahkiakum counties of region 3
		(c)	regions 4 and 6
		(d)	region 5, except Klickitat County
((53)) <u>(56)</u>	thistle, musk, <i>Carduus nutans</i>	(a)	regions 1, 2, 3, and 6
		(b)	region 4, except Douglas and Ferry counties
		(c)	region 5, except Kittitas County

Name		Will be a "Class B designate" in all lands lying within:	
((54)) <u>(57)</u>	thistle, plumeless, <i>Carduus acanthoides</i>	(a)	regions 1, 2, 3, 5, 6
		(b)	region 4, except those areas north of State Highway 20 in Stevens County
((55)) <u>(58)</u>	thistle, Scotch, <i>Onopordum acanthium</i>	(a)	regions 1, 2, and 3
		(b)	region 4, except Douglas County
		(c)	region 5, except Spokane and Whitman counties
((56)) <u>(59)</u>	velvetleaf, <i>Abutilon theophrasti</i>	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Yakima County
		(c)	region 6, except Franklin County
((57)) <u>(60)</u>	water primrose, <i>Ludwigia hexapetala</i>	(a)	regions 1, 2, 4, 5, and 6
		(b)	region 3, except Cowlitz County
((58)) <u>(61)</u>	white bryony, <i>Bryonia alba</i>	(a)	regions 1, 2, 3, and 4
		(b)	region 5, except Whitman County
		(c)	Benton County of region 6
((59)) <u>(62)</u>	wild chervil, <i>Anthriscus sylvestris</i>	(a)	regions 1, 4, and 6
		(b)	region 2, except Island and Whatcom counties
		(c)	Wahkiakum and Lewis counties of region 3
		(d)	region 5, except Whitman County
((60)) <u>(63)</u>	yellow archangel, <i>Lamium galeobdolon</i>	(a)	Clallam County of region 1
		(b)	Island, San Juan, Skagit, and Whatcom counties of region 2
		(c)	Skamania and Wahkiakum counties of region 3
		(d)	regions 4, 5, and 6
((61)) <u>(64)</u>	yellow floating heart, <i>Nymphoides peltata</i>	(a)	regions 1, 2, and 6
		(b)	region 3, except Cowlitz County
		(c)	region 4, except Stevens County
		(d)	region 5, except Spokane County
((62)) <u>(65)</u>	yellow nutsedge, <i>Cyperus esculentus</i>	(a)	regions 1((,3,)) and 4
		(b)	region 2, except Skagit and Thurston counties
		(c)	<u>region 3, except Clark County</u>
		(d)	region 5, except Klickitat and Yakima counties
		((64)) (e)	region 6, except Franklin and Walla Walla counties
((63)) <u>(66)</u>	yellow starthistle, <i>Centaurea solstitialis</i>	(a)	regions 1, 2, and 3
		(b)	region 4, except T36 R38 in the area contained within Hwy 395/Hwy 20, Pingston Creek Road, and Highland Loop Road in Stevens County
		(c)	region 5, except Klickitat, and Whitman counties

AMENDATORY SECTION (Amending WSR 15-24-078, filed 11/30/15, effective 12/31/15)

WAC 16-750-015 State noxious weed list—Class C noxious weeds.

Common Name	Scientific Name
absinth wormwood	<i>Artemisia absinthium</i>
Austrian fieldcress	<i>Rorippa austriaca</i>

Common Name	Scientific Name
babysbreath	<i>Gypsophila paniculata</i>
black henbane	<i>Hyoscyamus niger</i>
blackberry, evergreen	<i>Rubus laciniatus</i>
blackberry, Himalayan	<i>Rubus armeniacus</i>
blackgrass	<i>Alopecurus myosuroides</i>
buffalobur	<i>Solanum rostratum</i>
cereal rye	<i>Secale cereale</i>
<u>cheatgrass</u>	<u><i>Bromus tectorum</i></u>
common barberry	<i>Berberis vulgaris</i>
common catsear	<i>Hypochaeris radicata</i>
common groundsel	<i>Senecio vulgaris</i>
common St. Johnswort	<i>Hypericum perforatum</i>
common tansy	<i>Tanacetum vulgare</i>
common teasel	<i>Dipsacus fullonum</i>
curly-leaf pondweed	<i>Potamogeton crispus</i>
English hawthorn	<i>Crataegus monogyna</i>
English ivy 4 cultivars only:	<i>Hedera hibernica</i> 'Hibernica' <i>Hedera helix</i> 'Baltica' <i>Hedera helix</i> 'Pittsburgh' <i>Hedera helix</i> 'Star'
<u>Eurasian watermilfoil hybrid</u>	<u><i>Myriophyllum spicatum</i> x <i>sibiricum</i></u>
field bindweed	<i>Convolvulus arvensis</i>
fragrant water lily	<i>Nymphaea odorata</i>
hairy whitetop	<i>Lepidium appelianum</i>
hoary cress	<i>Lepidium draba</i>
Italian arum	<i>Arum italicum</i>
Japanese eelgrass	<i>Zostera japonica</i>
jointed goatgrass	<i>Aegilops cylindrica</i>
jubata grass	<i>Cortaderia jubata</i>
lawnweed	<i>Soliva sessilis</i>
longspine sandbur	<i>Cenchrus longispinus</i>
Medusahead	<i>Taeniatherum caput-medusae</i>
nonnative cattail species and hybrids	Including, but not limited to, <i>Typha angustifolia</i> , <i>T. domingensis</i> and <i>T. x glauca</i>
old man's beard	<i>Clematis vitalba</i>
oxeye daisy	<i>Leucanthemum vulgare</i>
pampas grass	<i>Cortaderia selloana</i>
perennial sowthistle	<i>Sonchus arvensis</i> ssp. <i>arvensis</i>
reed canarygrass	<i>Phalaris arundinacea</i>
Russian olive	<i>Elaeagnus angustifolia</i>
scentless mayweed	<i>Matricaria perforata</i>
smoothseed alfalfa dodder	<i>Cuscuta approximata</i>
spikeweed	<i>Centromadia pungens</i>

Common Name	Scientific Name
spiny cocklebur	<i>Xanthium spinosum</i>
<u>spotted jewelweed</u>	<i>Impatiens capensis</i>
Swainsonpea	<i>Sphaerophysa salsula</i>
thistle, bull	<i>Cirsium vulgare</i>
thistle, Canada	<i>Cirsium arvense</i>
tree-of-heaven	<i>Ailanthus altissima</i>
ventenata	<i>Ventenata dubia</i>
white cockle	<i>Silene latifolia</i> ssp. <i>alba</i>
wild carrot (except where commercially grown)	<i>Daucus carota</i>
yellow flag iris	<i>Iris pseudacorus</i>
yellow toadflax	<i>Linaria vulgaris</i>